



TELEX[®]

RADIO DISPATCH PRODUCTS

Radio Dispatch Engineering Group

IP25 Digital Dispatch Console v4.080 Engineering Release Notes

Notice:

The content in this document represents the current view of Bosch Security Systems as of the date of publication. Because Bosch Security Systems responds continually to changing market conditions, this document should not be interpreted as a commitment on the part of Bosch Security Systems. Bosch Security Systems cannot guarantee the accuracy of any information presented after the date of publication.

Bosch Security Systems, Inc. All rights reserved

SFT000065000 – Rev B

February 19, 2010

Table of Contents

1. Revision History	1
2. Overview.....	1
3. New Features.....	1
Version 4.080	1
Version 4.070	1
4. Improved Features and Fixed Issues	1
Version 4.080	1
Version 4.070	1

1. Revision History

Revision	Date	Author	Description
A	02/16/2010	Radio Dispatch Engineering Group	Initial draft IP25 Digital Console 4.070
B	02/19/2010	Radio Dispatch Engineering Group	Updated to IP25 Digital Console 4.080

2. Overview

This is the release notes for IP25 Digital Dispatch Console v4.080 firmware/software. This release contains several fixed issues. The release notes include all of the changes and fixes since official release Version 4.060.

3. New Features

Version 4.080

- NA

Version 4.070

- NA

4. Improved Features and Fixed Issues

Version 4.080

- Designer
 - InPTT Frequencies – Under certain circumstances the InPTT button could be set to an invalid frequency.
- Runtime
 - Disable Buttons with Invalid Frequencies – InPTT and Frequency buttons set to invalid frequencies are now disabled upon startup.
 - Remote Supergroups – Console would not create remote supergroups if the design file contained a large number of buttons.

Version 4.070

- Designer
 - NA
- Runtime
 - Supergroups – Console would not create supergroups if the design file contained a large number of buttons.
 - Operation with no P25 buttons – Runtime would not operate properly if there were no P25 InPTT or P25 Select buttons present in the design file.