



Bosch Security Systems, Inc.
Communications Systems Division
TELEX RADIO DISPATCH - RETAIL

Confidential Price List - Effective August 1, 2019

All prices are in U.S. Dollars - this supersedes all previous lists

All information herein is proprietary and confidential information of Bosch Communications Systems, Inc., and is not to be disclosed or duplicated without the prior written approval of an authorized representative of Bosch Communications Systems, Inc.

TABLE OF CONTENTS

<u>CONTACT INFORMATION</u>
<u>C-6200, IP-1616, IP-2002, Console accessories & HB3</u>
<u>C-Soft Dispatch Console Positions, ADHB4, SIP, Mics and Headsets</u>
<u>IP-224, IP-224 Accessories, IP25300</u>
<u>IP223 accessories and NEO-10</u>
<u>C-2000, C-2000-HS, C-2002-HS, C-1616 2,4 or 6 line Analog consoles</u>
<u>DSP-223 / TRA-223 tone adaptors</u>
<u>DATA SHEET (ALPHA-NUMERIC LIST)</u>



CONTACT INFO TO PLACE AN ORDER (US and CANADA)

Phone: 800-289-0096 Option 3

Fax: 800-955-6831

e-mail: dispatch@us.bosch.com

CONTACT INFO FOR DISPATCH TECHNICAL SUPPORT

Phone: 800-898-6723

e-mail: telexdispatchtechsupport@us.bosch.com

CONTACT INFO FOR REPLACEMENT PART ORDERS & SERVICE

Phone: 800-553-5992

Fax: 402-467-3279

e-mail: repair@us.bosch.com

For factory service/repair, please ensure that the RMA number provided to you by the Service Desk is clearly visible on the outside of the package. The mailing address for communications product service/repair is as follows:

Bosch Security Systems, Inc.
Dock B (*Reference RMA Number*)
8601 East Cornhusker Hwy
Lincoln, NE 68507

IP Consoles



C-6200 ships as an 18 line IP/Tone console. For direct tone connections and a telephone interface order TCRD or PCRD cards. The console is set up to use the GNM gooseneck mic, but other desk mics can be ordered from accessories. Console does not ship with a microphone, order from accessories.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
C-6200-18 @PI	F.01U.148.919	C-6200-US, 18 Line VoIP Console - Factory Options	\$9,995.00
6200TCRD@PI	F.01U.145.241	Dual Line Card for C-6200 Console, Installed	\$639.00
6200-PCRD CARD- FIELD	F.01U.144.216	6200-PCRD Public System Telephone Network Card, Field Kit	\$1,475.00
6200-TCRD CARD- FIELD	F.01U.145.239	Dual Line Card for C-6200 Console, Field	\$639.00
6200 COVER KIT	F.01U.146.594	C-6200 Knock-Out Cover Kit	\$19.38
Handset Option 6200	F.01U.149.000	Handset for C-6200, IP-1616, and C-1616 (Field Installed)	\$296.00
HS-4	F.01U.144.192	Handset for C-6200, IP-1616, and C-1616 (Factory Installed)	\$267.00
GNM-18	F.01U.120.335	18" Gooseneck Microphone for C-6200 and IP-1616 Hardware Consoles; Mounts directly to the top panel 1/4" threaded microphone jack. (Gooseneck only)	\$272.00
MD-MS	F.01U.117.309	Desktop Microphone for C-6200, IP-1616, and C-2000 Hardware Consoles; Omnidirectional	\$213.00
PREMDESKMIC	F.01U.318.570	Desktop Microphone, Gooseneck with PTT	\$457.00
MCP-90-0	F.01U.120.438	Flushmount gooseneck mic with electret mic element.	\$191.00
MCP-90-8	F.01U.120.442	Gooseneck mic with electret mic element, 8 inch length (20.3cm).	\$219.00
MCP-90-12	F.01U.120.439	Gooseneck mic with electret mic element, 12 inch length (30.5cm).	\$225.00



The IP-1616 ships as an 8 line IP console and can be used in conjunction with other IP consoles on a network. The console is set up to use a GNM gooseneck mic, but other desk mics can be ordered from accessories. Console does not ship with a microphone, order from accessories.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
IP-1616-US	F.01U.117.296	IP-1616 8 Line VoIP Console, US Version	\$5,395.00
Handset Option 6200	F.01U.149.000	Handset for C-6200, IP-1616, and C-1616 (Field Installed)	\$296.00
HS-4	F.01U.144.192	Handset for C-6200, IP-1616, and C-1616 (Factory Installed)	\$267.00
GNM-18	F.01U.120.335	18" Gooseneck Microphone for C-6200 and IP-1616 Hardware Consoles; Mounts directly to the top panel 1/4" threaded microphone jack. (Gooseneck only)	\$272.00
MD-MS	F.01U.117.309	Desktop Microphone for C-6200, IP-1616, and C-2000 Hardware Consoles; Omnidirectional	\$213.00
PREMDESKMIC	F.01U.318.570	Desktop Microphone, Gooseneck with PTT	\$457.00
MCP-90-0	F.01U.120.438	Flushmount gooseneck mic with electret mic element.	\$191.00
MCP-90-8	F.01U.120.442	Gooseneck mic with electret mic element, 8 inch length (20.3cm).	\$219.00
MCP-90-12	F.01U.120.439	Gooseneck mic with electret mic element, 12 inch length (30.5cm).	\$225.00



The IP-2002 ships as a 2 line IP console telephone style desk set and can be used in conjunction with other IP consoles on a network. The console is set up to use the built in handset or mic and PTT button on the face of the unit.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
IP-2002-US	F.01U.117.305	IP 2002-US, 2 Line Console	\$2,895.00
2002 WMK	F.01U.138.514	C-2002 or IP-2002 Wall Mount Bracket	\$128.00

MD-MS	F.01U.117.309	Desktop Microphone for C-6200, IP-1616, and C-2000 Hardware Consoles; Omnidirectional	\$213.00
-------	---------------	--	----------

Headset Adaptor



The HB-3+ is designed to give the push button consoles a headset adaptor. As of January 1, 2011 the HB3 will only be sold with the C-6200, IP-1616, IP-2002, and all of the C-1616 and C-2000 series analog consoles.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
HB-3 Plus-US	F.01U.117.762	HB-3 Plus ADAPTER BOX	\$1,005.00

Build your C-Soft IP Dispatch Console Position

To build your dispatch positions choose a PC platform, Monitor, C-Soft line key, ADHB4 Audio Adaptor Interface and accessories. SIP Telephone, Encryption, API, DFSI, CSSI, DMR-AIS, NXDN Trunking and Per-Line Call playback are available value added options that can be added to any position.

Choose PC Hardware Platform

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
NEXUS-IP-US-THN	F.01U.290.343	Desktop PC with Windows 10 (CPU), Mouse & Keyboard. (DOES NOT INCLUDE SPEAKERS). NOTE: C-Soft software is pre-installed, but activation license must be purchased (below).	\$3,111.00

Choose C-Soft v7 License Size

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
C-SOFT7 2L	F.01U.307.023	C-Soft 2-line SOFTWARE v7	\$1,876.00
C-SOFT7 6L	F.01U.307.024	C-Soft 6-line SOFTWARE v7	\$4,005.00
C-SOFT7 12L	F.01U.307.025	C-Soft 12-line SOFTWARE v7	\$5,008.00
C-SOFT7 24L	F.01U.307.026	C-Soft 24-line SOFTWARE v7	\$6,262.00
C-SOFT7 50L	F.01U.307.027	C-Soft 50-line SOFTWARE v7	\$6,888.00
C-SOFT7 100L	F.01U.307.028	C-Soft 100-line SOFTWARE v7	\$8,143.00
C-SOFT7 150L	F.01U.307.029	C-Soft 150-line SOFTWARE v7	\$8,769.00
C-SOFT7 200L	F.01U.307.030	C-Soft 200-line SOFTWARE v7	\$9,372.00
C-SOFT7 UGRADE	F.01U.307.031	Upgrade Previous C-Soft to C-Soft v7	Call for price

Choose Monitor(s)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
NEXUSIPU22LED	F.01U.303.136	22" LED Flat Panel Monitor	\$592.00
19" T.S. LCD monitor	F.01U.144.930	19" Flat Panel Touch-Screen Monitor	\$1,897.00

Choose Dispatcher Audio Interface



ADHB-4

The ADHB-4 is the standard audio adapter for the C-soft console. This panel provides the sound card and the ability for up to 6 speakers. This adapter hosts the Headsets, footswitch, speakers and telephone headset jack.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
ADHB-4 US	F.01U.149.779	ADHB-4 Audio Interface Device; Provides Headset, Microphone, Footswitch, Phone/E-911 Audio, I/O, and Speaker Connectivity to C-Soft software; USB Connected to PC (US Version)	\$2,571.00
RHB-1	F.01U.149.785	RHB-1 Remote Headset Box; Provides Additional Headset jack for ADHB-4/C-Soft console. Up to 2 RHB-1 devices can be connected to an ADHB-4 simultaneously.	\$347.00
ADHB-4MTBRK	F.01U.163.360	ADHB-4 Mounting Brackets; Provide surface/under surface mounting capabilities to the ADHB-4 device.	\$59.20

SIP, P25 DFSI, P25 CSSI, DMR-AIS and Kenwood NEXEDGE Direct IP licenses are used to enable existing lines in C-Soft to operate with these special interfaces. (Example: A position requiring 6 SIP extensions, 2 DFSI lines, 2 NEXEDGE lines, and 12 radios controlled by IP-224 add up to 22 lines, which would require at least a 24 line C-Soft license because the next smaller C-Soft license is only 12 lines)

Choose SIP Option (For C-Soft v7)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
SIP 6L	F.01U.307.047	SIP IP Telephony Option for C-Soft; 6-Line Enabled	\$618.00
SIP 12L	F.01U.307.048	SIP IP Telephony Option for C-Soft; 12-Line Enabled	\$1,545.00

Choose P25 DFSI Option (For C-Soft v7)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
P25 DFSI 2L	F.01U.307.042	P25 DFSI Option for C-Soft; 2-Line Enabled	\$3,113.00
P25 DFSI 6L	F.01U.307.043	P25 DFSI Option for C-Soft; 6-Line Enabled	\$6,049.00
P25 DFSI 12L	F.01U.307.044	P25 DFSI Option for C-Soft; 12-Line Enabled	\$8,895.00
P25 DFSI 24L	F.01U.307.045	P25 DFSI Option for C-Soft; 24-Line Enabled	\$14,857.00

Note: There is a limit of 25 parallel consoles maximum in a system.

NEW: Choose P25 CSSI Option (For C-Soft v7)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
P25 CSSI IP 2L	F.01U.343.856	Direct IP interface, P25 CSSI, 2-line	\$3,848.00
P25 CSSI IP 6L	F.01U.343.857	Direct IP interface, P25 CSSI, 6-line	\$7,476.00
P25 CSSI IP 12L	F.01U.343.858	Direct IP interface, P25 CSSI, 12-line	\$11,105.00
P25 CSSI IP 24L	F.01U.343.859	Direct IP interface, P25 CSSI, 24-line	\$18,363.00

Note: Includes DFSI interface. Please contact sales prior to ordering.

Choose P25 Encryption Option (For C-Soft v7)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
Encryption Seat	F.01U.343.866	DES / AES Encryption Option (utilizes FIPS 140-2 validated cryptographic module), for use with Motorola 3000/4000 and Tait Recon keyloaders (per seat)	\$4,936.00

Choose NEXEDGE Direct IP Option (For C-Soft v7 Series)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
NEXEDGE IP 2L	F.01U.307.038	Kenwood NEXEDGE Direct IP Option for C-Soft; 2-Line Enabled	\$2,511.00
NEXEDGE IP 6L	F.01U.307.039	Kenwood NEXEDGE Direct IP Option for C-Soft; 6-Line Enabled	\$4,881.00
NEXEDGE IP 12L	F.01U.307.040	Kenwood NEXEDGE Direct IP Option for C-Soft; 12-Line Enabled	\$7,250.00
NEXEDGE IP 24L	F.01U.307.041	Kenwood NEXEDGE Direct IP Option for C-Soft; 24-Line Enabled	\$11,988.00

Note: NEXEDGE protocol v1 has a maximum of 10 console connections per site and 100 console connections per system.

Choose DMR Direct IP Option (For C-Soft v7 Series)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
DMR AIS IP 2L	F.01U.343.860	DMR AIS Direct IP Option for C-Soft; 2-Line Enabled	\$2,511.00
DMR AIS IP 6L	F.01U.343.861	DMR AIS Direct IP Option for C-Soft; 6-Line Enabled	\$4,881.00
DMR AIS IP 12L	F.01U.343.862	DMR AIS Direct IP Option for C-Soft; 12-Line Enabled	\$7,250.00
DMR AIS IP 24L	F.01U.343.863	DMR AIS Direct IP Option for C-Soft; 24-Line Enabled	\$11,988.00

Choose API / SDK Option (For C-Soft v7 Series)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
API SDK	F.01U.343.864	Application Programming Interface SDK, includes documentation and simulator for use in developing 3rd party software interfaces to C-Soft (requires NDA). Note: It is recommended to have at least a 2-line C-Soft license and the API Seat interface (F.01U.343.865) for the license in order to fully test software developed using the interface.	\$5,923.00
API SEAT	F.01U.343.865	Application Programming Interface, Enables interface with 3rd party applications created using SDK (per seat)	\$987.00

Choose Per Line Call Playback Option (For C-Soft v7 Series)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
---------	------------	-------------	------

PLAYBACK 2L	F.01U.307.032	Per-Line Call Playback Option for C-Soft: 2-Line Enabled	\$387.00
PLAYBACK 6L	F.01U.307.033	Per-Line Call Playback Option for C-Soft: 6-Line Enabled	\$1,545.00
PLAYBACK 12L	F.01U.307.034	Per-Line Call Playback Option for C-Soft: 12-Line Enabled	\$2,318.00
PLAYBACK 24L	F.01U.307.035	Per-Line Call Playback Option for C-Soft: 24-Line Enabled	\$3,091.00
PLAYBACK 50L	F.01U.307.036	Per-Line Call Playback Option for C-Soft: 50-Line Enabled	\$4,379.00
PLAYBACK 100L	F.01U.307.037	Per-Line Call Playback Option for C-Soft: 100-Line Enabled	\$5,100.00


When ordering Per Line Call Back, make sure the total number of lines does not exceed the total number of lines available on the C-Soft Key. Per Line Call Back is for use with C-Soft v7 and higher. C-Soft v7 comes with one line of Per Line Call Playback enabled. These options expand that capability to the amount noted in the description. For example, ordering Playback 6L, expands the number of Per-Line Call Playback lines to a total of six.

IMPORTANT! It is highly recommended that the target hard drive for this recording option be a secondary drive that is not a solid state drive due to repeated read/write requirements.

Choose Microphone, Headset and Accessories

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
DH2000	F.01U.117.886	Dispatcher Headset- MONO (lower cord not included, choose LC1500 or LC2500)	\$168.00
DH2200	F.01U.117.887	Dispatcher Headset- Dual sided MONO (lower cord not included, choose LC1500 or LC2500)	\$174.00
DH3000	F.01U.120.557	ANR Dispatcher Headset- MONO (lower cord not included, choose LC1500 or LC2500)	\$302.00
DH3200	F.01U.120.556	ANR Dispatcher Headset- Dual sided MONO (lower cord not included, choose LC1500 or LC2500)	\$337.00
LC1500	F.01U.117.884	Lower Cord Unit with PTT Button, Belt Clip; 15-Foot	\$134.00
LC2500	F.01U.117.885	Lower Cord Unit with PTT Button, Belt Clip; 25-Foot	\$147.00
PREMDESKMIC	F.01U.318.570	Desktop Microphone, Gooseneck with PTT	\$457.00
MCP-90-0	F.01U.120.438	Flushmount gooseneck mic with electret mic element.	\$191.00
MCP-90-8	F.01U.120.442	Gooseneck mic with electret mic element, 8 inch length (20.3cm).	\$219.00
MCP-90-12	F.01U.120.439	Gooseneck mic with electret mic element, 12 inch length (30.5cm).	\$225.00
MD-MS	F.01U.117.309	Desktop Microphone for C-6200, IP-1616, and C-2000 Hardware Consoles; Omnidirectional	\$213.00
DT-GN W/GNM-18	F.01U.138.537	Desktop Gooseneck Microphone kit (Includes GNM-18 and Base)	\$500.00
DT-GN Desk Top only	F.01U.120.586	Desk Top Gooseneck Microphone kit (Base only)	\$294.00
MM-GN w/GNM-18	F.01U.149.428	Monitor Mounted Gooseneck Microphone Kit	\$550.00
Polar Desktop	F.01U.164.301	Polar Choice Gooseneck Microphone; Note: Does not support PTT button on unit base	\$489.00
NOTE: Cable not required when mounting PolarChoice to ADHB-4			
XLR-E Mic Cable	F.01U.148.845	Polar Choice Cable, Electret-XLR to RJ12 for HB3+	\$82.60
XLR-D Mic Cable	F.01U.148.847	Dynamic type Microphone with XLR to RJ12 for HB3+	\$82.60
FS-1	F.01U.117.308	Footswitch for HB-3 and ADHB-4 for Hands-free PTT Operation	\$160.00
DISPATCH Speaker set	F.01U.155.248	Standard Dispatch Speaker Set	\$73.40
PREMSPKR	F.01U.318.452	Bose Companion II Speaker Set	\$219.00
DISH-1 Headset	F.01U.117.424	Plantronics Dispatch Headset Kit; Includes headset and PTT lower cord trigger unit	\$630.00

IP Adaptors - IP-224



The IP-224 is a radio gateway IP adapter for building the Telex Radio Dispatch solution. Each adapter can control two devices. Radio interface cables and/or power supply can be ordered from accessories or use power from device that is interfaced to the IP-224. Advanced interfaces option can be ordered with the unit, or as an optional field code for upgrade in the field. Power supply not included.

IP-224 with Accessories and Options			
PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
IP-224 V2	F.01U.306.547	IP-224 Gateway Basic; Includes MDC/Fleetsync Encode/Decode, Kenwood Serial (x80, x90, x150 and x180) and Generic Serial API	\$3,102.00
IP224 V2 WOPS NA	F.01U.347.907	IP-224 Gateway North America Version; Includes Basic model features plus: DMR/MOTOTRBO, P25, NXDN, iDen, Sprint Direct Connect, TETRA, & EF Johnson Serial Control Capabilities Enabled; Note: MOTOTRBO exception noted below.	\$4,159.00
IP224 V2 WOPS EXPORT	F.01U.347.906	IP-224 Gateway Export Version; Includes Basic model features plus: DMR, P25, NXDN, iDen, Sprint Direct Connect, TETRA, & EF Johnson Serial Control Capabilities Enabled; Note: MOTOTRBO exception noted below.	\$4,159.00

IP-224 Accessories			
IP-224 Dual Brackets	F.01U.165.538	IP-224 Mounting Brackets (Dual)	\$109.00
IP-224 Single Brackets	F.01U.165.539	IP-224 Mounting Brackets (Single)	\$66.30
DB37 Kenwood K-X150	F.01U.165.540	IP-224 Cable - Kenwood TK-X150/X180, 5X10 and NXDN radios	\$245.00
DB37 Kenwood TK-X90	F.01U.165.541	IP-224 Cable - Kenwood TK-X90 radio	\$245.00
DB37 CABTONE	F.01U.165.544	IP-224 DB-37 Cable Assembly to 4-Wire Tone Cable	\$245.00
DB37 CDM1250	F.01U.165.545	IP-224 Motorola CDM/PRO Cable Interface	\$245.00
EFJ5300-Cable	F.01U.165.548	IP-224 EFJ 5300 Radio Interface (Cable Only)	\$261.00
MTRBI for IP-224	F.01U.165.554	IP-224 MTRBI Radio Interface (Includes cables) (see note below)	\$1,872.00
DB37 SRM2000	F.01U.165.542	IP-224 to Sepura Interface Cable	\$245.00
DB37 HYTERA TETRA	F.01U.306.539	IP-224 to Hytera Tetra Interface Cable	\$245.00
DB37 PWRTRNK TETRA	F.01U.306.540	IP-224 to PowerTrunk TETRA Interface Cable	\$245.00
DB37 HYTERA DMR	F.01U.319.163	IP-224 to Hytera DMR Interface Cable (available Q1 2016)	\$245.00
DB37 TAIT P25 DMR	F.01U.306.543	IP-224 to Tait P25 and DMR Interface Cable	\$245.00
DB37 ICOM IDAS	F.01U.306.546	IP-224 to ICOM IDAS Interface Cable	\$245.00
DB37 MOTOTRBO	F.01U.306.549	IP-224 to MOTOTRBO Interface Cable	\$245.00
AHS-1	F.01U.117.426	Alignment Handset	\$81.00

IP-224 Field Upgrades - Note unit Serial Number(s) is(are) required at time of ordering			
OPTION CODE EXPORT	F.01U.343.868	IP-224 Option Code; Enables P25, DMR, iDen, NXDN, IDAS, Sprint Direct Connect in previously purchased IP-224 (Export)	\$1,088.00
OPTION CODE NA	F.01U.343.869	IP-224 Option Code; Enables P25, DMR, MOTOTRBO, iDen, NXDN, IDAS, Sprint Direct Connect in previously purchased IP-224 (North America)	\$1,088.00

Advanced interface option covers serial interface for DMR (Hytera, Tait, MOTOTRBO*), EFJ 5300, Sprint Direct Connect, TETRA (Hytera, Sepura, PowerTrunk), P25 Conventional (Kenwood TK-5x10 and NX-5x00, Tait TM-91/93xx), NXDN (Kenwood NX-x00 & NX-5x00, ICOM IC-Fx06x)

*Important Note: When using the Advanced interface option for MOTOTRBO® radios, only one radio can be connected to an IP-224 due to USB COM port limits. In addition when using MTRBi or DMR interface for MOTOTRBO®, only 10 consoles may connect to any given MOTOTRBO® radio. MOTOTRBO interface restricted to sale in North America only.

IP Adaptors - IP-223



IP-223 is a legacy IP adaptor Panel for Radio, Telephone and Auxiliary Interfaces to the IP consoles. It is discontinued, however, the options below are still available for existing units. Please provide IP-223 serial number when ordering options.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
ANI FleetSync	F.01U.144.659	FleetSync ANI Decode option	\$554.00
Encode FleetSync	F.01U.144.660	FleetSync Decode and Encode option	\$1,167.00
ANI MDC 1200	F.01U.117.677	MDC-1200 ANI Decode option	\$440.00
Encode MDC-1200	F.01U.140.472	MDC-1200 Decode and Encode option	\$1,185.00
AHS-1	F.01U.117.426	Alignment Handset	\$81.00
DSP223RACK	F.01U.120.330	19" Rack mount bracket holds two IP-223's, DSP's or TRA's	\$89.80



NEO-10 Network auxiliary input / output adaptor. Monitor temperature settings, machines or turn on lights and open doors with the NEO 10. Power supply not included.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
NEO-10	F.01U.117.294	Network I/O Device; Provides 10 I/O relay contact closures that can be controlled by C-Soft software.	\$2,895.00

Analog Consoles



The C-2000 single Line Tone Remote Console comes with built in mic and speaker. Desk mic can be ordered separately. 100/240 Vac Power supply included.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
C-2000-US	F.01U.144.197	C-2000-US, Single Line Console.	\$806.00
MD-MS	F.01U.117.309	Desktop Microphone for C-6200, IP-1616, and C-2000 Hardware Consoles; Omnidirectional	\$213.00



The C-2000-HS single Line Tone Remote Console with Handset ships with a telephone style handset. 100/240 Vac Power supply included.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
C-2000-HS-US	F.01U.144.195	C-2000-HS, Single Line Tone Remote with Handset (US Version)	\$878.00
MD-MS	F.01U.117.309	Desktop Microphone for C-6200, IP-1616, and C-2000 Hardware Consoles; Omnidirectional	\$213.00



C-2002-HS Two Line Tone Remote Console with Handset. 100/240 Vac Power supply included.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
C-2002-HS-US	F.01U.148.921	C-2002 2-Line Tone Remote with Handset (US Version)	\$1,570.00
2002 WMK	F.01U.138.514	C-2002 or IP-2002 Wall Mount Bracket	\$128.00
MD-MS	F.01U.117.309	Desktop Microphone for C-6200, IP-1616, and C-2000 Hardware Consoles; Omnidirectional	\$213.00



The C-1616 can be ordered as a 2, 4, or 6 Line Tone Remote Console. Microphone does not ship with console. Order a GNM gooseneck or desk mic from accessories. 100/240 Vac Power supply included.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
C-1616-2-US	F.01U.144.208	C-1616 2-Line Tone Remote (US Version)	\$2,299.00
C-1616-4-US	F.01U.144.210	C-1616 4-Line Tone Remote (US Version)	\$2,885.00
C-1616-6-US	F.01U.144.212	C-1616 6-Line Tone Remote (US Version)	\$3,279.00
DTLM	F.01U.148.909	C-1616 Tone Remote Card; Provides 2 Additional Lines of Tone Remote for the 2 or 4 line version of C-1616	\$439.00
GNM-18	F.01U.120.335	18" Gooseneck Microphone for C-6200 and IP-1616 Hardware Consoles; Mounts directly to the top panel 1/4" threaded microphone jack. (Gooseneck only)	\$272.00
Handset Option 6200	F.01U.149.000	Handset for C-6200, IP-1616, and C-1616 (Field Installed)	\$296.00
HS-4	F.01U.144.192	Handset for C-6200, IP-1616, and C-1616 (Factory Installed)	\$267.00
MD-MS	F.01U.117.309	Desktop Microphone for C-6200, IP-1616, and C-2000 Hardware Consoles; Omnidirectional	\$213.00

Analog Adaptors



The DSP223 and TRA223 Tone Remote Adaptor Panels can be interfaced with local control radios to control remotely with tone. The DSP provides channel change, the TRA only provides PTT on one channel.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
TRA223	F.01U.122.019	TRA223 Tone Remote Adaptor for one frequency control.	\$482.00
DSP223	F.01U.120.329	DSP223 Tone Remote Adaptor for Radio control.	\$855.00
DSP223RACK	F.01U.120.330	19" Rack mount bracket holds two IP-223's, DSP's or TRA's	\$89.80
DSP223PRG	F.01U.148.983	Programming Kit for DSP-223	\$65.30
DSP223/KENWOOD	F.01U.144.815	DSP223 To Kenwood TK-x150/180 interface kit.	\$215.00
DSP223/Relm Kit	F.01U.144.200	DSP223 To Relm GMH Serial Interface Kit	\$209.00