

## **IP-3100 Series**

### IP-3100 Series Hardware Console






Table of contents

1	Overview	4
2	Gaining administrator access	5

# 1

## Overview

The purpose of this document is to give instructions to IT administrators that need to make changes to the IP-31XX underlying operating system. This manual covers:

- Accessing the Administrator's account
- Accessing the OS desktop

## 2 Gaining administrator access

To **log in as an administrator**, do the following:

1. Press **Ctrl-Alt-Del**.
2. Select **Log Off**.
3. Select the **DispatchAdmin** account.
4. Enter a **password** (default is telex).




### Notice!


**IMPORTANT:** Record the password in a safe place. If you forget the password, the only way to gain access is to send the unit back to the factory to be reloaded.

To **access the desktop**, do the following:

1. Log in as **DispatchAdmin**.
2. Press **Ctrl-Alt-Del**.
3. Select **Task Manager**.
4. Select **File | Run new task**.



5. Enter **explorer.exe**.
6. Select the **Create this task with administrative privileges** check box.



7. Click **OK**.  
The Windows Desktop displays. Use Windows as normal.



### Notice!

The Start Menu is disabled in this mode.

8. Reboot the **device** once the changes are complete to return it to normal dispatch console operation.





The logo consists of the word "TELEX" in a bold, white, sans-serif font. The letters are outlined with two horizontal lines, one above and one below the text, creating a stylized, high-tech appearance. The logo is positioned on a blue rectangular background.

**Bosch Security Systems, LLC**

130 Perinton Parkway  
Fairport, NY 14450  
USA

**[www.telex.com](http://www.telex.com)**

© Bosch Security Systems, LLC, 2024

**EU importer:**

**Bosch Sicherheitssysteme GmbH**

Robert-Bosch-Platz 1  
70839 Gerlingen  
Germany

© Bosch Sicherheitssysteme GmbH, 2024